



 GAZCO

LOGIC

GAS FIRES



ALSO FEATURING CLASSIC FIREPLACES



UK
CA
CE



please be aware that we do not offer technical support (beyond online sales, where this support would normally be offered by one of our qualified, independent retailers.

Furthermore, Gazco fires purchased from within our Expert Retailer Network will have the additional benefit of a greatly

Whilst we encourage our retailers to promote fireplace products

You can find your nearest retailer by visiting:



Logic HE Conventional flue fire with Log-effect fuel bed, shown with

WIN THE COST OF YOUR PRODUCT BACK!*

by registering your product online for your free extended warranty. See page 35 for details.





The table opposite has been designed to assist you in choosing the right fire for your home. Gazco's different inset fire options allow you to mix and match a wide selection of traditional and contemporary frames, fronts and fires so you can create the perfect welcoming centrepiece for your home.



Logic HE with Chertwell front & Arts2 frame



Logic Convector fire with Arts front & frame

	✓	✓
	✓	✓
	✓	✓
	✓	X
	✓	✓
	✓	✓
Non-Reflective Glass	✓	X
	✓	✓
	✓	✓
	✓	✓
	✓	✓
Ambient open fire	X	✓
Glass fronted high efficiency	✓	X
	✓	✓
	X	X
CF	✓	✓
BF	✓	X
Energy Efficiency Class		
Maximum Efficiency 		



fire with Log-effect fuel bed, shown with

feature will shut off the gas supply to the burner
the room (conventional flue only).

*Not available to Logic HE Balanced
Flue Coal-effect



Logic HE Conventional flue fire with Coal-effect fuel bed, shown with

HIGH EFFICIENCY
UP TO 89%



NON-REFLECTIVE
GLASS



NO CHIMNEY
REQUIRED



Not available to Logic HE Balanced Flue Coal-effect models

Balanced flue model shown.



Log-effect



Coal-effect



HIGH EFFICIENCY
UP TO 68.5%



Logic Convector fire, shown with Chartwell Front in Polished Chrome-effect and Arts2 Frame in Polished Stainless Steel





**Logic HE Log-effect is only available with Slide Control and Remote Control options.*



NON-REFLECTIVE
GLASS

**HIGH
EFFICIENCY**
UP TO 89%



Efficiency &

E%[†]

kW

ENERGY
EFFICIENCY
CLASS

BRICK
CHIMNEY

PRE-
FABRICATED

PRE-
CAST

BALANCED
FLUE

NATURAL
GAS

LPG
GAS

COALS

LOGS

HANDL

SLIDE

REMOTE



[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 32-34.

* Min 16,500mm³

◇ Logic HE Conventional Flue coal-effect fires feature plastic slide control handle. See page 11.



NON-REFLECTIVE
GLASS 

HIGH EFFICIENCY
UP TO 89% 



Efficiency &

E% [†] kW		ENERGY EFFICIENCY CLASS				NATURAL GAS LPG		COALS LOGS		HANDIAL SLIDE REMOTE		
		BRICK CHIMNEY	PRE-FABRICATED	PRE-CAST	BALANCED FLUE	NATURAL GAS	LPG GAS	COALS	LOGS	HANDIAL	SLIDE	REMOTE
		✓	✓	✓*	X	✓	✓	✓	X	✓	✓	✓
		✓	✓	X	X	✓	✓	X	✓	X	✓	✓

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model. For further technical information, please see pages 32-34.

* Min 16,500mm²

◇ Logic HE Conventional Flue coal-effect fires feature plastic slide control handle. See page 11.



NON-REFLECTIVE
GLASS

easyfit
Slimline Firebox

**HIGH
EFFICIENCY**
UP TO 86%



Efficiency &

E% [†] kW		ENERGY EFFICIENCY CLASS				LPG						
		BRICK CHIMNEY	PRE-FABRICATED	PRE-CAST	BALANCED FLUE	NATURAL GAS	LPG GAS	COALS	LOGS	HANDIAL	SLIDE	REMOTE
		X	X	X	✓	✓	✓	✓	X	✓	✓	✓
		X	X	X	✓	✓	✓	X	✓	X	✓	✓

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model; for further technical information, please see pages 32-34.

[^] When used with Programmable Thermostatic remote control (8456).

* Only applicable to Coal-effect fuel bed fires.

Log-effect fires only



Logic HE Conventional flue with Coal-effect fuel bed, shown with Winchester complete front in Matt Black.

NON-REFLECTIVE
GLASS

easyfit
Slimline Firebox

HIGH EFFICIENCY
UP TO 86%



Efficiency &

E% [†] kW ENERGY EFFICIENCY CLASS		BRICK CHIMNEY PRE-FABRICATED PRE-CAST BALANCED FLUE				NATURAL GAS LPG-GAS		COALS LOGS MANUAL SLIDE REMOTE			
⊗	*	X	X	X	✓	✓	✓	X	✓	✓	✓
⊗	*	X	X	X	✓	✓	X	✓	X	✓	✓

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 32-24.

[^] When used with Programmable Thermostatic remote control (8456).

* Only applicable to Coal-effect and White Stone fuel bed fires.

Log-effect fires only





**HIGH
EFFICIENCY
UP TO 68.5%**



Efficiency &

E%[†]

kW



ENERGY
EFFICIENCY
CLASS



BRICK
CHIMNEY



PRE-
FABRICATED



PRE-
CAST



BALANCED
FLUE



NATURAL
GAS



LPG
GAS



COALS



MANUAL



SLIDE



REMOTE



[†]Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 32-34.

*Min 16,500mm²

**HIGH
EFFICIENCY
UP TO 68.5%**



Efficiency &



[†] kW



ENERGY
EFFICIENCY
CLASS



BRICK
CHIMNEY



PRE-
FABRICATED



PRE-
CAST



BALANCED
FLUE



NATURAL
GAS



LPG
GAS



COALS



MANUAL



SLIDE



REMOTE



[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model; for further technical information, please see pages 32-34.
*Min 16,500mm²







	Box Profil/Box Profil2				
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓



	x	x	✓	x	x	x	x
	✓	✓	✓	✓	✓	✓	✓
	x	x	✓	x	x	x	x
	✓	✓	✓	✓	✓	✓	✓
	x	x	✓	x	x	x	x
	✓	✓	✓	✓	✓	✓	✓





Offering the ultimate marriage of traditional style and modern technology, Gazco offer realistic coal gas fires for the Cast Iron fireplaces manufactured by our sister company Stovax.


also benefit from the added efficiency and convenience of a Gazco gas fire, complete with remote control if you wish.

To enjoy the added efficiency and economy of convected range that can be fitted with Gazco's Logic Convector fires as

which effortlessly complements our Gazco Logic gas fire

there is a broad spectrum of mantels and fireplace fronts to

Effect





Belgravia Polished Cast Front with Polished Insert Panel. Shown with Brompton mantel in warm white and Logic Convector gas fire with Chartwell Front and Box Profile frame.



Logic HE Conventional flue fire. Coal-effect fuel bed, with Tempo Complete Front in Polished Stainless with Sandringham Limestone Mantel.



The charm of a classic fireplace can also be
fireplace inserts, to convector options that increase
heating efficiency while preserving period character.

our complete fireplaces feature a grate and built
-in firebrick which can be inserted into a 36" x 36"

grace of an Alexandra Insert, these fireplaces make



CF



BF



Logic HE Conventional flue fire with Coal-effect fuel bed with Profil2 frame

Fuel Effect

Efficiency Efficiency

⊗	
⊗	
⊗	Balanced flue
⊗	Balanced flue

⊗	
⊗	
⊗	
⊗	
⊗	Balanced flue
⊗	Balanced flue
⊗	Balanced flue
⊗	Balanced flue

4


⊗	
⊗	
⊗	
⊗	
⊗	Balanced flue
⊗	Balanced flue
⊗	Balanced flue
⊗	Balanced flue

Programmable Thermostatic

*Logic HE Remote Control Balanced Flue Coal-effect fires are supplied with the standard remote control (8455) and can be upgraded with the optional Programmable Thermostatic remote control (8456). Log-effect remote models & Logic HE conventional flue coal-effect models are supplied with sequential thermostatic remote control.

Polished Brass-effect
Polished Chrome-effect
Polished Brass-effect
Polished Chrome-effect
Polished Brass-effect
Polished Chrome-effect


Box Profil2 frame
Box Profil2 frame Polished Brass-effect
Box Profil2 frame Polished Steel-effect
Box Profil2 frame Brushed Steel-effect
Box Profil2 frame
Box Profil2 frame Polished Brass-effect
Box Profil2 frame Polished Steel-effect
Box Profil2 frame Brushed Steel-effect



Effect

Efficiency

Efficiency



Box Profil frame

Box Profil frame Polished Brass-effect

Box Profil frame Polished Stainless Steel-effect

Box Profil frame Brushed Stainless Steel-effect

Box Profil frame

Box Profil frame Polished Brass effect

Box Profil frame Polished Steel effect

Box Profil frame Brushed Steel effect

Arts fire front

Arts fire front Polished Brass-effect

Arts fire front Polished Chrome-effect

Arts fire front

Wave fire front

Wave fire front Polished Brass-effect

Wave fire front Polished Chrome-effect

Wave fire front


Chartwell fire front

Chartwell fire front Polished Brass-effect

Chartwell fire front Polished Chrome-effect

Chartwell fire front

Combination Fireplace. Conventional Logic Convector fires require 5" minimum flue sizes.



kit B315 and a 3" (75mm) deep

depth of 8½" (215mm) at C1.



WIN

THE COST OF YOUR PRODUCT BACK!*

For further home inspiration you can view real life installations at our [Customer Showcase page](#) and share your thoughts and photos of your new stove or fire installation to enter our draw!

- We will publish your entry on our Customer Showcase
- You will be entered into a draw for the chance to win the cost of your product back.
- **Gain a second entry** by registering your product online for your free extended warranty at stovax.com/registration



View real life installations and submit your review at:
stovax.com/customershowcase

*Terms and conditions apply. See online for details.



ng to variations in studio lighting & printing inks, the

Gazco gas fire with us after purchasing from an



photography, we reserve the right to make alterations &



ECHOFLAME[®]
BLACK GLASS LINING



 GAZCO



 onyx





Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

www.dfs.co.uk; www.furniturevillage.co.uk; www.theorangetree.co.uk; www.habitat.co.uk;
 www.next.co.uk; www.marksandspencer.com; www.chunkymonkeyfurniture.co.uk; www.wayfair.co.uk;
 www.tkmaxx.com; www.homesense.com; www.johnlewis.com; www.frenchconnection.com;
 www.coxandcox.co.uk; www.urbanera.co.uk; www.amoslighting.co.uk; www.farmington.co.uk;
 www.stbridgetnurseryseries.co.uk; www.beechbros.co.uk; www.bnsp.co.uk; www.graceandgloryhome.co.uk;
 www.amlco.com; www.rudlos-stone.com; www.wallsandfloors.co.uk; www.pexels.com;
 www.originalstyle.com; www.opiesuk.co.uk; www.desenio.co.uk; www.birlea.com; www.ikea.com.

